


## sip proxy application

1. Insure your system time is right , pls upgrade to our 3.2.0 software of device,then you can use that proxy feature.
2. before to use the proxy,use our ippbx to ping those domain ,and then find one reponse time **shortest** server.we have deployed 4 server already at no .

**sip.zycoo.com    #china**  
**us.zycoo.com     #American**  
**eu.zycoo.com     #England**  
**sg.zycoo.com     #Singapore**  
**uae.zycoo.com    #uae**  
**sa.zycoo.com     #South Africa**



3. try to input all information and then select that you have tested with fast server with ping tool

ZYCOO Proxy ?

---

Status Registered
Upload Certificate
Disable

Company zycoo
Contact Name zycoo
Telephone 85337096
E-mail juncheng.du@zycoo.com
Address 成都
City 成都
Country/Region china
Additional Info 测试
Select Server ? Chengdu, China, CHN
External Domain ? zycoopbx zycoopbx.sip.zycoo.com
Server Protocol ? UDP
Proxy Signaling Port ? 5160(UDP), 5160(TCP), 5162(TLS)
Local Access Interface ? WAN
Submit
Download Source File

select server:this is our proxy server

external domain:you can input your company name like zycoo,zycoo0101 and it is better that is only letter and digits without other special letters.

pls Noted,only Sumbit once,then download Source file,otherwise pls redownload,because the Submit will produce the UUID identify ID .

Server Protocol:you can select UDP/TCP/TLS register to proxy avoiding the UDP SIP blocked

- download the Source file ,and send to our sales,then we will send the proxy licence to you,and once you upload it will show register then you can start to use it .
- download the coocall from the app store ,and then enable the extension with Remote extension,disable NAT

Edit 809

---

User Profiles
Features
Advanced

Transport Protocol ? UDP
SRTP ? Off
NAT Support ? Off

**Edit 809**

User Profiles | **Features** | Advanced

Voicemail ☒ On

**Remote Extension ☒ On**

Video Call ☒ On

Web Portal ☒ On

Call Spy ☐ Off

Voicemail Password 1234

Simultaneous Register Count 5

Video Codecs H.264

Call Recording In & Out

Register Expiration 120

Cancel Submit

scan on your mobile and it can register, and if you want to use the coocall at phone lock status, pls dial \*19 on coocall directly to enable push feature.

for much more information, you can refer our coocall usage .

- if you want to use your desktop phone to register, pls noted that it is 5160 port.

**ZYCOO**  
WE FOCUS.WE DELIVER

English Logout ( admin )

Keep Online Dial Answer Hang-up

Information | Account | **Configurations** | Upgrade | Auto Provision | Tools

System  
Network  
Line  
Phone settings  
Phonebook  
Call logs  
Function Key

Line SIP 2

**Basic Settings >>**

Line Status Registered

Username 809

Display name 809

Authentication Name 809

Authentication Password \*\*\*\*\*

Server Name

Activate ☒

SIP Proxy Server Address zycoopbx.sip.zycoo.com

SIP Proxy Server Port 5160

Outbound proxy add.

Outbound proxy port

Outbound proxy add.

Outbound proxy port

Realm

**Codecs Settings >>**

pls note:

1.the sip registrar proxy server udp port is 5160,if you use tls port,pls use 5162

2.the sip proxy server address is the external domain of Zycoo proxy menu.

you have any query,pls dont hesitate to send email [support@zycoo.com](mailto:support@zycoo.com)

zycoo support team

20180604